

TI1

90° tee



Ref.	D	PFA (PN)
INPFTI116000	16	16
INPFTI120000	20	16
INPFTI125000	25	16
INPFTI132000	32	16
INPFTI140000	40	16
INPFTI150000	50	16
INPFTI163000	63	16
INPFTI175000	75	16
INPFTI190000	90	16
INPFTI111000	110	16
INPFTI113000	125	16
INPFTI115000	140	16
INPFTI117000	160	16
INPFTI118000	180	10
INPFTI121000	200	10
INPFTI123000	225	10
INPFTI126000	250	10
INPFTI128000	280	10
INPFTI133000	315	10

GO1

90° elbow



Ref.	D	PFA (PN)
INPFGO116000	16	16
INPFGO120000	20	16
INPFGO125000	25	16
INPFGO132000	32	16
INPFGO140000	40	16
INPFGO150000	50	16
INPFGO163000	63	16
INPFGO175000	75	16
INPFGO190000	90	16
INPFGO111000	110	16
INPFGO113000	125	16
INPFGO115000	140	16
INPFGO117000	160	16
INPFGO118000	180	10
INPFGO121000	200	10
INPFGO123000	225	10
INPFGO126000	250	10
INPFGO128000	280	10
INPFGO133000	315	10

GY1

45° elbow



Ref.	D	PFA (PN)
INPFGY116000	16	16
INPFGY120000	20	16
INPFGY125000	25	16
INPFGY132000	32	16
INPFGY140000	40	16
INPFGY150000	50	16
INPFGY163000	63	16
INPFGY175000	75	16
INPFGY190000	90	16
INPFGY111000	110	16
INPFGY113000	125	16
INPFGY115000	140	16
INPFGY117000	160	16
INPFGY121000	200	10
INPFGY123000	225	10
INPFGY126000	250	10
INPFGY128000	280	10
INPFGY133000	315	10

MA1

socket



Ref.	D	PFA (PN)
INPFMA116000	16	16
INPFMA120000	20	16
INPFMA125000	25	16
INPFMA132000	32	16
INPFMA140000	40	16
INPFMA150000	50	16
INPFMA163000	63	16
INPFMA175000	75	16
INPFMA190000	90	16
INPFMA111000	110	16
INPFMA113000	125	16
INPFMA115000	140	16
INPFMA117000	160	16
INPFMA121000	200	10
INPFMA123000	225	10
INPFMA126000	250	10

MR1

reduced socket



Ref.	D x D	PFA (PN)
INPFMR120A00	20 x 16	16
INPFMR125B00	25 x 20	16
INPFMR132C00	32 x 25	16

MR1

reduced socket

Ref.	D x D	PFA (PN)
INPFMR140D00	40 x 32	16
INPFMR150E00	50 x 40	16
INPFMR163F00	63 x 50	16
INPFMR175G00	75 x 63	16
INPFMR190H00	90 x 75	16
INPFMR111I00	110 x 90	16
INPFMR113L00	125 x 110	16
INPFMR115L00	140 x 110	16



BO1

union with o-ring

Ref.	D	PFA (PN)
INPFBO116000	16	16
INPFBO120000	20	16
INPFBO125000	25	16
INPFBO132000	32	16
INPFBO140000	40	16
INPFBO150000	50	16
INPFBO163000	63	16
INPFBO175000	75	16
INPFBO190000	90	16
INPFBO111000	110	16



CA1

solvent weld cap

Ref.	D	PFA (PN)
INPFCA116000	16	16
INPFCA120000	20	16
INPFCA125000	25	16
INPFCA132000	32	16
INPFCA140000	40	16
INPFCA150000	50	16
INPFCA163000	63	16
INPFCA175000	75	16
INPFCA190000	90	16
INPFCA111000	110	16
INPFCA113000	125	16
INPFCA115000	140	16
INPFCA117000	160	16



RC1

reduced bush

Ref.	D x D	PFA (PN)
INPFRC120A00	20 x 16	16
INPFRC125A00	25 x 16	16
INPFRC125B00	25 x 20	16
INPFRC132A00	32 x 16	16
INPFRC132B00	32 x 20	16



RC1

reduced bush

Ref.	D x D	PFA (PN)
INPFRC132C00	32 x 25	16
INPFRC140B00	40 x 20	16
INPFRC140C00	40 x 25	16
INPFRC140D00	40 x 32	16
INPFRC150B00	50 x 20	16
INPFRC150C00	50 x 25	16
INPFRC150D00	50 x 32	16
INPFRC150E00	50 x 40	16
INPFRC163D00	63 x 32	16
INPFRC163E00	63 x 40	16
INPFRC163F00	63 x 50	16
INPFRC175E00	75 x 40	16
INPFRC175F00	75 x 50	16
INPFRC175G00	75 x 63	16
INPFRC190F00	90 x 50	16
INPFRC190G00	90 x 63	16
INPFRC190H00	90 x 75	16
INPFRC111G00	110 x 63	16
INPFRC111H00	110 x 75	16
INPFRC111I00	110 x 90	16
INPFRC113H00	125 x 75	16
INPFRC113I00	125 x 90	16
INPFRC113L00	125 x 110	16
INPFRC115L00	140 x 110	16
INPFRC115M00	140 x 125	16
INPFRC117I00	160 x 90	16
INPFRC117L00	160 x 110	16
INPFRC117M00	160 x 125	16
INPFRC117N00	160 x 140	16
INPFRC121000	200 x 160	10
INPFRC123000	225 x 160	10
INPFRC123P00	225 x 200	10
INPFRC126000	250 x 160	10
INPFRC126P00	250 x 200	10



FC1

blank flange

Ref.	D	PFA (PN)
INPFFC120000	20	16
INPFFC125000	25	16
INPFFC132000	32	16
INPFFC140000	40	16
INPFFC150000	50	16
INPFFC163000	63	16
INPFFC175000	75	16
INPFFC190000	90	16
INPFFC111000	110	16



FL1

loose flange

Ref.	D	PFA (PN)
INPFFL120000	20	16
INPFFL125000	25	16
INPFFL132000	32	16
INPFFL140000	40	16
INPFFL150000	50	16
INPFFL163000	63	16
INPFFL175000	75	16
INPFFL190000	90	16
INPFFL111000	110	16
INPFFL113000	125	16
INPFFL115000	140	16
INPFFL117000	160	16
INPFFL121000	200	10
INPFFL123000	225	10
INPFFL126000	250	10
INPFFL128000	280	10
INPFFL133000	315	10



FF1

fixed flange

Ref.	D	PFA (PN)
INPFFF120000	20	16
INPFFF125000	25	16
INPFFF132000	32	16
INPFFF140000	40	16
INPFFF150000	50	16
INPFFF163000	63	16
INPFFF175000	75	16
INPFFF190000	90	16
INPFFF111000	110	16



QR1

stub

Ref.	D	PFA (PN)
INPFQR120000	20	16
INPFQR125000	25	16
INPFQR132000	32	16
INPFQR140000	40	16
INPFQR150000	50	16
INPFQR163000	63	16
INPFQR175000	75	16
INPFQR190000	90	16
INPFQR111000	110	16
INPFQR113000	125	16
INPFQR115000	140	16
INPFQR117000	160	16



QR1

stub

Ref.	D	PFA (PN)
INPFQR121000	200	10
INPFQR123000	225	10
INPFQR126000	250	10
INPFQR128000	280	10
INPFQR133000	315	10



TR1

90° reduced tee

Ref.	D x D x D	PFA (PN)
INPFTR120A00	20 x 16 x 20	16
INPFTR125A00	25 x 16 x 25	16
INPFTR125B00	25 x 20 x 25	16
INPFTR132A00	32 x 16 x 32	16
INPFTR132B00	32 x 20 x 32	16
INPFTR132C00	32 x 25 x 32	16
INPFTR140B00	40 x 20 x 40	16
INPFTR140C00	40 x 25 x 40	16
INPFTR140D00	40 x 32 x 40	16
INPFTR150B00	50 x 20 x 50	16
INPFTR150C00	50 x 25 x 50	16
INPFTR150D00	50 x 32 x 50	16
INPFTR150E00	50 x 40 x 50	16
INPFTR163B00	63 x 20 x 63	16
INPFTR163C00	63 x 25 x 63	16
INPFTR163D00	63 x 32 x 63	16
INPFTR163E00	63 x 40 x 63	16
INPFTR163F00	63 x 50 x 63	16
INPFTR175D00	75 x 32 x 75	16
INPFTR175E00	75 x 40 x 75	16
INPFTR175F00	75 x 50 x 75	16
INPFTR175G00	75 x 63 x 75	16
INPFTR190F00	90 x 50 x 90	16
INPFTR190G00	90 x 63 x 90	16
INPFTR190H00	90 x 75 x 90	16
INPFTR111F00	110 x 50 x 110	16
INPFTR111G00	110 x 63 x 110	16
INPFTR111H00	110 x 75 x 110	16
INPFTR111I00	110 x 90 x 110	16
INPFTR117L00	160 x 110 x 160	16



TY1

45° tee

Ref.	D	PFA (PN)
INPFTY132000	32	16
INPFTY140000	40	16
INPFTY150000	50	16
INPFTY163000	63	16



CR1

CROSS

Ref.	D	PFA (PN)
INPFCR125000	25	16
INPFCR132000	32	16
INPFCR140000	40	16
INPFCR150000	50	16
INPFCR163000	63	16



CU1

90° bend

Ref.	D	PFA (PN)
INPFCU120000	20	16
INPFCU125000	25	16
INPFCU132000	32	16
INPFCU140000	40	16
INPFCU150000	50	16
INPFCU163000	63	16
INPFCU175000	75	16
INPFCU190000	90	16
INPFCU111000	110	16
INPFCU117000	160	16



P01

hose adaptor


Ref.	D	PFA (PN)
INPFPO116000	16	16
INPFPO120000	20	16
INPFPO125000	25	16
INPFPO132000	32	16
INPFPO140000	40	16
INPFPO150000	50	16
INPFPO163000	63	16



GQP

flat gasket for QR1


Ref.	D
INPFGQP20000	20
INPFGQP25000	25
INPFGQP32000	32
INPFGQP40000	40
INPFGQP50000	50
INPFGQP63000	63
INPFGQP75000	75
INPFGQP90000	90
INPFGQP11000	110
INPFGQP13000	125



GQP

flat gasket for QR1

Ref.	D
INPFGQP15000	140
INPFGQP17000	160
INPFGQP21000	200
INPFGQP23000	225
INPFGQP26000	250
INPFGQP33000	315



MSP

PVC long sliding sleeve

Ref.	D x L	PFA (PN)
IIMSP1000G063	63 x 530	8
IIMSP1000G075	75 x 530	8
IIMSP1000G090	90 x 530	8
IIMSP1000G110	110 x 530	8
IIMSP1000G130	125 x 530	8
IIMSP1000G150	140 x 530	8
IIMSP1000G170	160 x 530	8
IIMSP1000G180	180 x 530	8
IIMSP1000G210	200 x 530	8
IIMSP1000G230	225 x 550	8
IIMSP1000G260	250 x 600	8
IIMSP1000G280	280 x 600	8
IIMSP1000G310	315 x 650	8



ST1

pipe clip

Ref.	D
INPFST116000	16
INPFST120000	20
INPFST125000	25
INPFST132000	32
INPFST140000	40
INPFST150000	50
INPFST163000	63
INPFST175000	75
INPFST190000	90
INPFST111000	110



T12

90° tee - threaded

Ref.	G	PFA (PN)
INPFTI216000	3/8"	16
INPFTI220000	1/2"	16
INPFTI225000	3/4"	16
INPFTI232000	1"	16
INPFTI240000	1 1/4"	16
INPFTI250000	1 1/2"	16



TI2

90° tee - threaded

Ref.	G	PFA (PN)
INPFTI263000	2"	16
INPFTI275000	2"½	16
INPFTI290000	3"	16
INPFTI211000	4"	16



GO2

90° elbow - female thread

Ref.	G	PFA (PN)
INPFGO216000	¾"	16
INPFGO220000	½"	16
INPFGO225000	¾"	16
INPFGO232000	1"	16
INPFGO240000	1"¼	16
INPFGO250000	1"½	16
INPFGO263000	2"	16
INPFGO275000	2"½	16
INPFGO290000	3"	16
INPFGO211000	4"	16



GY2

45° elbow - female thread

Ref.	G	PFA (PN)
INPFGY220000	½"	16
INPFGY225000	¾"	16
INPFGY232000	1"	16
INPFGY240000	1"¼	16
INPFGY250000	1"½	16
INPFGY263000	2"	16
INPFGY275000	2"½	16
INPFGY290000	3"	16
INPFGY211000	4"	16



MA2

threaded coupling

Ref.	G	PFA (PN)
INPFMA216000	¾"	16
INPFMA220000	½"	16
INPFMA225000	¾"	16
INPFMA232000	1"	16
INPFMA240000	1"¼	16
INPFMA250000	1"½	16
INPFMA263000	2"	16
INPFMA275000	2"½	16
INPFMA290000	3"	16
INPFMA211000	4"	16



MR2

reduced socket - threaded

Ref.	G x G	PFA (PN)
INPFMR220A00	½" x ¾"	16
INPFMR225B00	¾" x ½"	16
INPFMR232C00	1" x ¾"	16
INPFMR240D00	1"¼ x 1"	16
INPFMR250E00	1"½ x 1"¼	16
INPFMR263F00	2" x 1"½	16
INPFMR275G00	2"½ x 2"	16
INPFMR290H00	3" x 2"½	16
INPFMR211I00	4" x 3"	16



NI2

nipple

Ref.	G	PFA (PN)
INPFNI216000	¾"	16
INPFNI220000	½"	16
INPFNI225000	¾"	16
INPFNI232000	1"	16
INPFNI240000	1"¼	16
INPFNI250000	1"½	16
INPFNI263000	2"	16
INPFNI275000	2"½	16
INPFNI290000	3"	16
INPFNI211000	4"	16



NR2

reduced nipple

Ref.	G x G	PFA (PN)
INPFNR220A00	½" x ¾"	16
INPFNR225B00	¾" x ½"	16
INPFNR232C00	1" x ¾"	16
INPFNR240D00	1"¼ x 1"	16
INPFNR250E00	1"½ x 1"¼	16
INPFNR263F00	2" x 1"½	16
INPFNR275G00	2"½ x 2"	16
INPFNR290H00	3" x 2"½	16
INPFNR211I00	4" x 3"	16



RI2

male/female reducer

Ref.	G x G	PFA (PN)
INPFRI220A00	½" x ¾"	16
INPFRI225A00	¾" x ¾"	16
INPFRI225B00	¾" x ½"	16
INPFRI232A00	1" x ¾"	16
INPFRI232B00	1" x ½"	16



RI2

male/female reducer

Ref.	G x G	PFA (PN)
INPFRI232C00	1" x 3/4"	16
INPFRI240B00	1" 1/4 x 1/2"	16
INPFRI240C00	1" 1/4 x 3/4"	16
INPFRI240D00	1" 1/4 x 1"	16
INPFRI250C00	1" 1/2 x 3/4"	16
INPFRI250D00	1" 1/2 x 1"	16
INPFRI250E00	1" 1/2 x 1" 1/4"	16
INPFRI263D00	2" x 1"	16
INPFRI263E00	2" x 1" 1/4"	16
INPFRI263F00	2" x 1" 1/2"	16
INPFRI275E00	2" 1/2 x 1" 1/4"	16
INPFRI275F00	2" 1/2 x 1" 1/2"	16
INPFRI275G00	2" 1/2 x 2"	16
INPFRI290F00	3" x 1" 1/2"	16
INPFRI290G00	3" x 2"	16
INPFRI290H00	3" x 2" 1/2"	16
INPFRI211G00	4" x 2"	16
INPFRI211H00	4" x 2" 1/2"	16
INPFRI211I00	4" x 3"	16



MG2

male/female adaptor

Ref.	G x G	PFA (PN)
INPFMG216B00	3/8" x 1/2"	16
INPFMG220C00	1/2" x 3/4"	16
INPFMG225D00	3/4" x 1"	16
INPFMG232E00	1" x 1" 1/4"	16
INPFMG240F00	1" 1/4 x 1" 1/2"	16
INPFMG250G00	1" 1/2 x 2"	16
INPFMG263H00	2" x 2" 1/2"	16
INPFMG275I00	2" 1/2 x 3"	16
INPFMG290L00	3" x 4"	16



B02

union with o-ring - threaded

Ref.	G	PFA (PN)
INPFBO216000	3/8"	16
INPFBO220000	1/2"	16
INPFBO225000	3/4"	16
INPFBO232000	1"	16
INPFBO240000	1" 1/4"	16
INPFBO250000	1" 1/2"	16
INPFBO263000	2"	16
INPFBO275000	2" 1/2"	16
INPFBO290000	3"	16
INPFBO211000	4"	16



CA2

cap - female thread

Ref.	G	PFA (PN)
INPFCA216000	3/8"	16
INPFCA220000	1/2"	16
INPFCA225000	3/4"	16
INPFCA232000	1"	16
INPFCA240000	1" 1/4"	16
INPFCA250000	1" 1/2"	16
INPFCA263000	2"	16
INPFCA275000	2" 1/2"	16
INPFCA290000	3"	16
INPFCA211000	4"	16



TA2

male plug

Ref.	G	PFA (PN)
INPFTA216000	3/8"	16
INPFTA220000	1/2"	16
INPFTA225000	3/4"	16
INPFTA232000	1"	16
INPFTA240000	1" 1/4"	16
INPFTA250000	1" 1/2"	16
INPFTA263000	2"	16
INPFTA275000	2" 1/2"	16
INPFTA290000	3"	16
INPFTA211000	4"	16



P02

hose adaptor - threaded

Ref.	G	PFA (PN)
INPFPO216000	3/8"	16
INPFPO220000	1/2"	16
INPFPO225000	3/4"	16
INPFPO232000	1"	16
INPFPO240000	1" 1/4"	16
INPFPO250000	1" 1/2"	16
INPFPO263000	2"	16



T13

90° tee

Ref.	D x G	PFA (PN)
INPFTI316A00	16 x 3/8"	16
INPFTI320B00	20 x 1/2"	16
INPFTI325C00	25 x 3/4"	16
INPFTI332D00	32 x 1"	16
INPFTI340E00	40 x 1" 1/4"	16
INPFTI350F00	50 x 1" 1/2"	16



TI3

90° tee

Ref.	D x G	PFA (PN)
INPFTI363G00	63 x 2"	16
INPFTI375H00	75 x 2"½	16
INPFTI390I00	90 x 3"	16
INPFTI311L00	110 x 4"	16



GO3

90° elbow - female thread solvent weld

Ref.	D x G	PFA (PN)
INPFGO316A00	16 x ¾"	16
INPFGO320B00	20 x ½"	16
INPFGO325C00	25 x ¾"	16
INPFGO332D00	32 x 1"	16
INPFGO340E00	40 x 1"¼	16
INPFGO350F00	50 x 1"½	16
INPFGO363G00	63 x 2"	16
INPFGO375H00	75 x 2"½	16
INPFGO390I00	90 x 3"	16
INPFGO311L00	110 x 4"	16



MA3

coupling

Ref.	D x G	PFA (PN)
INPFMA316A00	16 x ¾"	16
INPFMA320B00	20 x ½"	16
INPFMA325C00	25 x ¾"	16
INPFMA332D00	32 x 1"	16
INPFMA340E00	40 x 1"¼	16
INPFMA350F00	50 x 1"½	16
INPFMA363G00	63 x 2"	16
INPFMA375H00	75 x 2"½	16
INPFMA390I00	90 x 3"	16
INPFMA311L00	110 x 4"	16



AM3

male threaded/male female solvent weld adaptor

Ref.	D x D x G	PFA (PN)
INPFAM312A00	12 x 16 x ¾"	16
INPFAM316A00	16 x 20 x ¾"	16
INPFAM316B00	16 x 20 x ½"	16
INPFAM320A00	20 x 25 x ¾"	16
INPFAM320B00	20 x 25 x ½"	16
INPFAM320C00	20 x 25 x ¾"	16
INPFAM325B00	25 x 32 x ½"	16
INPFAM325C00	25 x 32 x ¾"	16
INPFAM325D00	25 x 32 x 1"	16
INPFAM332C00	32 x 40 x ½"	16
INPFAM332D00	32 x 40 x 1"	16
INPFAM332E00	32 x 40 x 1"¼	16



AM3

male threaded/male female solvent weld adaptor

Ref.	D x D x G	PFA (PN)
INPFAM340D00	40 x 50 x 1"	16
INPFAM340E00	40 x 50 x 1"¼	16
INPFAM340F00	40 x 50 x 1"½	16
INPFAM350E00	50 x 63 x 1"¼	16
INPFAM350F00	50 x 63 x 1"½	16
INPFAM350G00	50 x 63 x 2"	16
INPFAM363F00	63 x 75 x 1"½	16
INPFAM363G00	63 x 75 x 2"	16
INPFAM363H00	63 x 75 x 2"½	16
INPFAM375G00	75 x 90 x 2"	16
INPFAM375H00	75 x 90 x 2"½	16
INPFAM375I00	75 x 90 x 3"	16
INPFAM390H00	90 x 110 x 2"½	16
INPFAM390I00	90 x 110 x 3"	16
INPFAM390L00	90 x 110 x 4"	16
INPFAM311I00	110 x 125 x 3"	16
INPFAM311L00	110 x 125 x 4"	16



AF3

female threaded/male solvent cement adaptor

Ref.	D x G	PFA (PN)
INPFAF316A00	16 x ¾"	16
INPFAF320B00	20 x ½"	16
INPFAF320C00	20 x ¾"	16
INPFAF325B00	25 x ½"	16
INPFAF325C00	25 x ¾"	16
INPFAF325D00	25 x 1"	16
INPFAF332C00	32 x ¾"	16
INPFAF332D00	32 x 1"	16
INPFAF340D00	40 x 1"	16
INPFAF340E00	40 x 1"¼	16
INPFAF350E00	50 x 1"¼	16
INPFAF350F00	50 x 1"½	16
INPFAF350G00	50 x 2"	16
INPFAF363G00	63 x 2"	16
INPFAF375G00	75 x 2"	16
INPFAF375H00	75 x 2"½	16
INPFAF375I00	75 x 3"	16
INPFAF390H00	90 x 2"½	16
INPFAF390I00	90 x 3"	16
INPFAF390L00	90 x 4"	16
INPFAF311I00	110 x 3"	16
INPFAF311L00	110 x 4"	16



B03

union with o-ring

Ref.	D x G	PFA (PN)
INPFBO316A00	16 x 3/8"	16
INPFBO320B00	20 x 1/2"	16
INPFBO325C00	25 x 3/4"	16
INPFBO332D00	32 x 1"	16
INPFBO340E00	40 x 1 1/4"	16
INPFBO350F00	50 x 1 1/2"	16
INPFBO363G00	63 x 2"	16
INPFBO375H00	75 x 2 1/2"	16
INPFBO390I00	90 x 3"	16
INPFBO311L00	110 x 4"	16



BM3

union - male/female with o-ring

Ref.	D x G	PFA (PN)
INPFBM350F00	50 x 1 1/2"	16
INPFBM350G00	50 x 2"	16
INPFBM363G00	63 x 2"	16



AS3

tank connection

Ref.	G x D x G	PFA (PN)
INPFAS320C00	1" x 20 x 3/4"	16
INPFAS325D00	1 1/4" x 25 x 1"	16
INPFAS340F00	2" x 40 x 1 1/2"	16

